

MATERIAL SAFETY DATA SHEET (page 1)

SECTION 1 - Material Identification and Use

Material Name/Identifier: ENVIRO-RINSE (Shipping Address)
Manufacturer's Name: Blue River Coatings 2910 South Nebraska Avenue
PO Box 460 Hastings, NE 68901
Harvard, NE 68944 USA
Tel: 402-463-3962
Fax: 402-463-4476
Health - Safety Emergency: Chem-Tel: 800-255-3924
Material Use: Metal, Wood, Plastics

SECTION 2 - Hazardous Ingredients/Information

Hazardous Components	%	CASNA	Exposure Limits	Vapor Pressure
Ethoxylated Alcohol	<0.015%	084133506	None Established	-
Quaternary Ammonium Compound	<0.01%	Trade Secret	None Established	-
Octamethyl Cyclotetrasiloxane	<0.01%	000556872	None Established	1

HMIS Code		NFPA	
Health	1	Health	1
Flammability	1	Flammability	1
Reactivity	0	Reactivity	0
Personal Protection	H	Personal Protection	H

SECTION 3 - Physical/Chemical Characteristics

Physical State: Liquid, translucent Melting Point: Not Determined
Boiling Point: Not Determined Specific Gravity: 1.0
Evaporation rate: Slower than Ether % Solid by Weight: >1.0%
Vapor Density: Not Determined % Solid by Volume: <1.0%
Weight Per Gallon: 8.8 lbs VOC: 0 lb/gal - 0 gm/ltr
% Volatile by Volume: Not Determined

Combined 3 Parts A and 1 part B:

% Solids by Weight: 25
% Solids by Volume: 22
Weight per gallon: 8.22 lbs
VOC: 2.8 lb/gal - 336 gm/ltr



BLUE RIVER COATINGS

DEDICATED TO THE ENVIRONMENT

MATERIAL SAFETY DATA SHEET (page 2)

SECTION 4 - Fire & Explosion Hazard Data

DOT Category:	Combustable
Flash Point:	212°F (TCC)
Extinguishing Media:	CO ₂ Dry Chemical, Water Fog
Unusual Fire and Explosion Hazards:	None
Special fire Fighting Procedures:	None

SECTION 5 - Health Hazard Data

Threshold Limit Value:	Refer to Section 2
Primary Routes of Entry:	Inhalation, Skin Absorption
Effects of Over-Exposure:	
To Vapors:	Concentrated vapors may be harmful
Acute::	May cause irritation
Chronic:	None Known
Emergency First Aid Proced	
Inhalation:	Provide fresh air and rest
Skin Contract:	Wash with mild soap and water
Eye Contract:	Wash with gentle steam of water for at least 15 min. and seek medical attention
Ingestion:	Consult a physician Do not induce vomiting

SECTION 6 - Reactivity Data

Stability:	Stable
Conditions to Avoid:	None Known
Hazardous Decomposition of Product:	Normal combustion product including CO ₂ , CO of N ₂
Hazardous Polymerization:	Will not occur



BLUE RIVER COATINGS

DEDICATED TO THE ENVIRONMENT

MATERIAL SAFETY DATA SHEET (page 3)

SECTION 7 - Spill or Leak Procedures

Steps to be taken in case the material is released or spilled:

- Remove all sources of ignition
- Provide adequate ventilation
- Treat area with an absorbing compound

Waste Disposal Method:

- Dispose of in accordance with Federal, State, & Local Regulations.
- Discarded product is not hazardous waste under CRA (40CFR 261.21)

SECTION 8 - Special Protection Information

Respiratory Protection:	If exposure to spray mist, wear NIOSH approved respirator
Ventilation:	Local ventilation to keep air supply above threshold limit values
Protective Gloves:	Solvent resistant gloves
Eye Protection:	Safety goggles
Other Protection:	No special requirements
Hygienic Work Practices:	Remove and wash contaminated cloth before reuse

SECTION 9 - Special Precautions

Precautions to be taken in handling and storing:

- Do not store over 120°F
- Keep container tightly closed

SECTION 10 - Preparation Date of MSDS

Sources Used:	
Prepared By:	Blue River Coatings Jerry Keller
Phone Number:	402-463-3962
Date:	December 19, 1995
MSDS Register:	Registered